



GROUP



you're home.

Shake off the cold and relax in the welcoming warmth of a Parkray stove. From slimline, spaceconscious solutions, to powerful stoves perfect for open-plan living, a Parkray fire can warm up any space. Our range of contemporary designs means that we have a stove to suit every setting.

YOU CAN RELAX KNOWING YOUR WHICH AIMS TO IMPROVE AIR QUALITY AND REDUCE EMISSIONS. ECO-FRIENDLY, EFFICIENT BURNING, OUR ASPECT STOVES PRODUCE 5 UNDER THE CURRENT ECO DESIGN STOVES WHICH ENSURE A CLEANER ENVIRONMENT AND PEACE OF MIND WHILE YOU KEEP COSY.

WARRANTY	3
ASPECT 4 RANGE	4 - 5
ASPECT 5 RANGE	6 - 7
ASPECT 6 RANGE	8 - 9
ASPECT 7 RANGE	10 - 11
ASPECT 8 RANGE	12 - 13
ASPECT 14 RANGE	14 - 15
ASPECT 14B	16 - 17
PARKRAY GAS RANGE	18 - 19
ASPECT 4G GAS	20 - 21
ASPECT 47 GAS	22 - 23
CONSORT 5G	24 - 25
CONSORT 7G	26 - 27
OPTIONS AND FEATURES	28 - 31
DIMENSIONS	32 - 35



















BRITISH

*Not available on gas. For full warranty specifications, terms and a list of authorised stockists, please visit www.hunterstoves.co.uk



THE ASPECT 4 AND ASPECT 4 COMPACT ARE THE SMALLEST OF THE ASPECT COLLECTION, BUT THEY REALLY KICK OUT SOME HEAT.

With a heat output range of 3-5.5kW, DEFRA approval and a very high efficiency, these stoves may be small but ensure a beautiful view of the flames through their large viewing window.











HEAT OUTPUT

3kW TO 5kW

NOMINAL

ASPECT 4 COMPACT

ENERGY EFFICIENCY CLASS A+



HEAT OUTPUT

3.5kW TO 5.5kW

NOMINAL

4.5kW

ASPECT 4

ENERGY EFFICIENCY CLASS A+





HIGHLY CONTROLLABLE, THE ASPECT 5 SERIES CAN CHANGE FROM A HIGH TO LOW OUTPUT IN A MATTER OF SECONDS.

Even with their generous maximum outputs, these stoves have impressively low CO emissions, which means you can keep warm whilst being environmentally friendly.









ASPECT 5

COMPACT

HEAT OUTPUT

4kW TO 6kW

ENERGY EFFICIENCY CLASS A+



HEAT OUTPUT


4kW TO 7kW

NOMINAL

ASPECT 5

ENERGY EFFICIENCY CLASS A





THE ASPECT 6 OFFERS A TRULY MESMERISING VIEW OF THE FLAMES, MAKING AN ALLURING CENTREPIECE IN ANY ROOM.

Combining looks, controllability and high efficiency, the Aspect 6 is an excellent addition to any home. This stove boasts our famous Tripleburn® technology and offers a generous output of up to 7.5kW, making it an impressive all-rounder.












HEAT OUTPUT

4kW TO 7.5kW

NOMINAL



CURL UP IN FRONT OF THE LARGE LANDSCAPE WINDOW OF THE ASPECT 7 AND RELAX TO THE PICTURESQUE VIEW OF THE FLAMES.

With clean lines, an elegant finish and a truly impressive output, the Aspect 7 will make a great addition to your living space. As with all the stoves in the Aspect range, the Aspect 7 comes with the choice of two different handles, helping it integrate beautifully into your home, whatever the interior.








HEAT OUTPUT

4kW TO 7.5kW

NOMINAL

ENERGY EFFICIENCY CLASS A+





THE ASPECT 8 HAS AN IMPRESSIVE OUTPUT, PERFECT FOR HEATING A LARGER ROOM.

This convection stove effortlessly combines science and style, keeping the whole family toasty when the nights draw in. This model boast a glorious flame picture, as well as reduced clearance distances to combustible materials, making it ideal for transforming any opening.









DEFRA APPROVED

NO AIR BRICK REQUIF

5" FLUE COLLAR

TRIPLEBURN

HNOLOGY • BI

HOT AIRWASH SYSTE

GRATE KIT OPTION

BLACK CHROME

AND STAINLESS STEE



HEAT OUTPUT

6kW TO 11kW

NOMINAL

7.5kW

ENERGY EFFICIENCY CLASS

Α



BRING YOUR HOME ALIVE WITH THE GLOW OF THE ASPECT 14 AND ITS TOASTY OUTPUT OF UP TO 15KW.

Great for heating larger family rooms, the Aspect 14 offers all the ambiance of a real fire, along with powerful Tripleburn® technology. This contemporary stove burns beautifully, and comes with two handle options to suit any interior.











HEAT OUTPUT


7kW TO 15kW

NOMINAL

7.8kW

ENERGY EFFICIENCY CLASS A





This contemporary boiler stove is both practical and extremely desirable, adding ambience to the room alongside its powerful Tripleburn® technology which simultaneously heats the room and the water for your home. The Aspect 14 Boiler Stove heats the hot water for your home quickly and efficiently whilst providing a magnificent centrepiece for your room with its impressive glass viewing window.







DEFRA APPROVED

" FLUE COLLA

RIPLEBURN®

HOT AIRWASH SYSTEM

LARGE VIEWING WINDO

GRATE KIT OPTION

HANDLE OPTIONS:

AND STAINLESS STE



HEAT OUTPUT / ROOM
HEAT OUTPUT / WATER

5kW TO 9kW 5kW TO 16kW

NOMINAL / ROOM NOMINAL / WATER 5.5kW

8-14 RADIATORS*

* Number of radiators is dependent on system size. Suitable for open vented systems.






PARKRAY GAS RANGE

Naturally effortless, a Parkray gas stove provides an exquisite focal point in any home.

WITH A MIX OF CONTEMPORARY
AND TRADITIONAL GAS STOVES,
THE PARKRAY GAS RANGE OFFERS
SOMETHING FOR ALL TYPES OF HOMES.

Our Aspect and Consort gas models beautifully combine elegant aesthetics with advanced gas fire technology.





AN EXCELLENT CHOICE FOR THOSE LOOKING
TO FILL A SMALL SPACE, THE NEW ASPECT 4G
ENSURES A GLOWING FLAME PICTURE.

The epitome of elegance and ease, this stove can be controlled with a digital display remote device for added convenience. With a log bed effect and a choice of black or stainless-steel handle, you can really tailor this model to suit your interior.



• SINGLE DOOR

EALISTIC LUG EFFEC

DIGITAL DISPLATE

FLAT TOP

NATURAL GAS OR LP

HANDLE OPTIONS: BLACK CHROME

AND STAINLESS STEEL

HEAT INPUT 4.7kW

HEAT OUTPUT* 3.0k\

ENERGY EFFICIENCY CLASS

.



WITH A FLAME PICTURE THAT'S EQUALLY AS IMPRESSIVE AS THAT OF ITS WOOD BURNING COUNTERPART, THE ASPECT 7 GAS STOVE WILL ADD AN ELEGANT CENTREPIECE TO YOUR HOME.

A beautiful combination of stylish aesthetics and innovative gas fire technology, the Aspect 7 Gas is perfect for heating family spaces. With a choice between a log or coal effect and black or stainless-steel handle, you can tailor this model to suit your interior.



• SINGLE DOOR

REALISTIC LOG
OR COAL EFFECT
DIGITAL DISPLAY
REMOTE CONTRO

NATURAL GAS OR LPG

HANDLE OPTIONS:
BLACK CHROME AND

HEAT INPUT 6.5kW

HEAT OUTPUT* 4.9kW

ENERGY EFFICIENCY CLASS

E



THE CONSORT 5 GAS MODEL IS A SMALL STOVE WITH A LOT OF WARMTH TO GIVE.

Bringing all the traditional charm of the Consort range, this compact gas stove allows installation in a smaller fireplace, yet still offers a toasty heat output. Enjoy a wonderfully natural flame picture and a log bed that is exceptionally realistic, with the peace of mind that your stove is fitted with the highest standard of safety features.



• SINGLE DOOR

ALISTIC LOG EFFECT

DIGITAL DISPLAY
REMOTE CONTRO

FLAT TOP


NATURAL GAS OR LPG

BLACK CHROME

HEAT INPUT 4.7kW

HEAT OUTPUT* 3.3kW

ENERGY EFFICIENCY CLASS



FULL OF TRADITIONAL CHARM, THE CONSORT 7 GAS RANGE PROVIDES A SPLENDID BACKDROP FOR TREASURED FAMILY TIME.

The Consort 7 Gas combines a timeless design with forward-thinking gas technology to create an enchanting focal point for your home. With a digital-display remote control for added convenience, you can simply sit back and enjoy the view.





SINGLE DOOR

DOUBLE DOOR

HEAT INPUT 6.5kW

HEAT OUTPUT*

aspect features

	ASPECT 4 COMPACT	ASPECT 4	ASPECT 5 COMPACT	ASPECT 5	ASPECT 6	ASPECT 7	ASPECT 8	ASPECT 14	ASPECT 14 BOILER
DEFRA approved									
Nominal heat output to room (kW)	4.5	4.5	5.0	5.0	5.0	5.0	7.5	7.8	5.5
Heat output range (kW)	3-5	3.5-5.5		4-7	4-7.5	4-7.5	6-11	8-15	5-9
Efficiency on wood (%)	81	81	80	80	80	81	76	77	77
CO emission (at 13% O₂) (%)	0.12	0.12	0.10	0.10	0.10	0.09	0.06	0.10	0.06
Boiler option	NA	S							
Log lengths (mm)	300	300	400	400	450	480	500	540	320
Weight (kg)	59.5	64.9	74	81.3	92.1	85.5	102.4	126.5	172
Clearance distances to combustible materials (mm)*	Rear: 125 Side: 500	Rear: 125 Side: 500	Rear: 125 Side: 600	Rear: 125 Side: 600	Rear: 125 Side: 600	Rear: 125 Side: 500	Rear: 100 Side: 375	Rear: 100 Side: 525	Rear: 130 Side: 500
Clearance distances to non-combustible materials (mm)	Rear: 50 Side: 50	Rear: 51** Side: 51**							

CONTACT YOUR DEALER FOR INSTALLATION ADVICE Y = YES NA = NOT APPLICABLE S = STANDARD

FAQs

HOW MUCH SPACE WILL MY STOVE NEED?

With all our freestanding units, it is safe to install them with a clearance of 2" (50mm) either side to non-combustible material. However, for optimum performance and heat output, we recommend a clearance of 6" (150mm). Behind the stove, there should be a minimum clearance of 2" (50mm), however we recommend 4" (100mm) for optimum performance.

WHAT IS A NOMINAL HEAT OUTPUT?

The nominal output is the output achieved under specific test conditions by the independent test laboratory. The stoves tend to be operated with the air controls set at less than maximum and with relatively modest loads. We recognise that end users are unlikely to operate the stoves in this way and therefore we carry out internal testing to suggest a reasonable heat output range that the end user should achieve without over-firing the unit.



^{*} Distances when installed with a twin walled flue (with the addition of a heat shield). ** Wall must be a minimum of 75mm thick.

aspect options

PLINTH

You can choose to have your Aspect stove fitted on a log plinth, which raises it up off the floor and provides a handy place to store your wood.

ST0VE	HEIGHT	DEPTH	WIDTH
ASPECT 4 COMPACT	225	307	400
ASPECT 4	150/225	357	400
ASPECT 5 COMPACT	225	312	494
ASPECT 5	150/225	362	494
ASPECT 6	225	405	557
ASPECT 7	225	364	579
ASPECT 8	225	405	617
ASPECT 14	225	539	667
ASPECT 14B	225	539	667

BENCH

The stoves in the Aspect range have the option of being fitted on a bench. There is a choice of two lengths, 800mm and 1,195mm long. Both are at a height of 345mm and a depth of 415mm. Stoves fitted on benches can be installed on a 12mm hearth when freestanding.



DIRECT AIR

All of our Aspect stoves come with the option of a direct air kit. This will allow a room sealed installation.

INTERCHANGEABLE FLUE OUTLETS

All the Aspect range and gas models can be flued from either the top or the rear of the stove.

PARKRAY GAS features

	ASPECT 4 GAS	ASPECT 7 GAS	CONSORT 5 GAS	CONSORT 7 GA
LPG				
Natural gas (NG)				
LPG				
LPG				
			0	
	NA	NA	NA	0
	Rear wall: 10	Rear wall: 100		Rear wall: 100
				Side: 100
	Shelf/top: 250	Shelf/top: 300	Shelf/top: 250	Shelf/top: 300
	Rear wall: 50			Rear wall:50
		Shelf/top: 200		Shelf/top: 200
erth (mm)				
	Natural gas (NG) LPG NG LPG NG Im)	LPG	LPG 2.21- 3.25 2.5 - 4.5 Natural gas (NG) 2.24 - 3.01 2.8 - 4.4 S S LPG 4.7 6.5 NG 4.7 6.5 LPG 3.5 4.9 NG 3.5 4.9 T1 78.1 S S NA NA NA Rear wall: 10 Rear wall: 100 Side: 150 Side: 100 Shelf/top: 250 Shelf/top: 300 Tml) Rear wall: 50 Rear wall: 50 Side: 50 Shelf/top: 200 arth 50 50	LPG 2.21-3.25 2.5-4.5 2.21-3.25 Natural gas [NG] 2.24-3.01 2.8-4.4 2.24-3.01 S S S LPG 4.7 6.5 4.7 NG 4.7 6.5 4.7 LPG 3.5 4.9 3.5 NG 3.5 4.9 3.3 T1 78.1 71 S S S NA NA NA NA NA Rear wall: 10 Rear wall: 100 Rear wall: 100 Side: 150 Side: 100 Side: 150 Shelf/top: 250 Shelf/top: 300 Shelf/top: 250 TM) Rear wall: 50 Rear wall: 50 Shelf/top: 250 Shelf/top: 200 Shelf/top: 200 Shelf/top: 200 Shelf/top: 200 Shelf/top: 200

PLEASE NOTE: All measurements are in millimetres (mm).

PARKRAY GAS options

GAS TYPE

With all our Parkray gas stoves, you have a choice between natural gas (12H) or LPG (13P)

HANDLE

The Aspect 4G, 7G and the Consort 5G com with a choice of either a black chrome or stainless-steel handle. The Consort 7G is available with a traditional black handle.

FUEL EFFECT

4kW gas stoves in the Parkray range are available with a realistic log effect kit.


With the 6kW stoves, you can choose between a log or coal effect, whatever

CONTROL

Each Parkray gas stove comes available with a hand-held digital display remote control.

This handset can swtich the stove on and off, and comes with seven flame picture settings. In the case of a misplaced remote control, the manual control allows continued operation of the stove.

Plus, a handy pager system will audibly locate your remote device.











8 EMPEROR WAY EXETER DEVON EX13QS

INFO@HUNTERSTOVES.CO.UK WWW.HUNTERSTOVES.CO.UK











